

Air Conditioning Controls Business Unit

pcosistema: results and plans





Enduser terminal family

features















Programmable controls

Targets for 2003:

A) pCO^{xs} Mass production on May 2003



B) pGD Mass production on Oct. 2003



C) Availability of standard software for pCO¹, pCO², pCO^{XS}

Electron Rey-points:

	100 000228 200000	
	pco-i	
LCD	Only alphanumeric capability	Graphic 120x32 pixel: double size characters, customised icons, multilanguages.
Back-lit	Optional	Standard
Working temperature	0T50 °C	−20T60 °C
Mounting	Panel	Panel or Wall
IP level	IP65	IP65
International languages	European languages	Chinese, Russian, Greek and Scandinavian languages
Price	195,00€	145,00 € (- 26%)

Locustandard models:

A) PANEL MOUNTING


"F" TYPE : PGD0000F00

B) WALL MOUNTING

"W" TYPE: PGD0000W0(







C) pGD IN pCOI ENCLOSURE

"I" TYPE: PGD0000100



Thanks to this model all software developed up to now are compatible without any

Logo fast customisation:

I level of customisation

Standard pGD module with customised logo printed on the standard frame

Logo or coloured frame



- Time delivery for samples : 4 weeks from design approval





DS 50 service

O 0000
I SET POINT 14:56
2 Yariable Tuesday
3 Fault April 03

LENNOX

Blue France plastic

Alluminium

Logo fast customisation:

Standard pGD module without frame and keys,

II level of customisation

External policarbonate keyboard:

- Maximum: 8 keys

3 LEDs

Design Development Cost : €1500

- Unit price for keyboard: 7..10 €

- Time delivery for samples: 4 weeks from design approval



Lege customisation:

III level of customisation

Customised external mechanical keyboard

Maximum: 15 keys

24 LEDs

The customer will support the developing cost

- Time delivery : 4 months from design approval

Standard pGD module without enclosure External mechanical keyboar

How pGD affects the offer:









pCOB and pCOI

pCOB and pCOI plus 2 pressure transducer 4..20 mA 606,00



pCO1 medium and pGD

509,00 **€-16** %

pCO1 medium and pGD plus 2 pressure transducer 0..5 Vdc



772,00



637,00 € **- 24**

ELECTION OF THE PROPERTY OF TH

	THE RESERVE OF THE PARTY OF THE						
	pCO1-pCO2	DCOXS					
Power supply	24Vac-Vdc	24 Vac-Vdc 48 Vdc (TLC applications)					
Serial bus	1 serial bus built-in 2 optionals	2 serial bus built-in 1 optionals					
Min dimension	13 DIN modules	8 DIN module					
Programming key	Available	Not available					
Black-box	Available	Not available					
Price	pCO1 small: 260,00	210,00 €,\$ (-20%)					

occas eustomers up to now

• **RC**: Use the Built-in version in Telecom applications, they appreciate the 48Vdc power supply capability.



- Dominick hunter Hiross: use it in dryer units
- Carel Deutschland is promoting it with success with some AHU manufacturers.
- Carel China finds it very interesting for close control application, one customer is starting in October.

Parametric & programmable

price

400 € to €







pCOxs Built-in LCD, 270 €

100 € to 200

pCO^{xs} & PST user interface, 235 € Available on Dec.03

Standard software for precision air conditioner and roof-top

	рСОВ	pCOxs	pCO ^c	pCO ¹	pCO ²	PGD	EEV Alco algorith m	EEV Carel algorithm
Shelter	No	Yes	No	Yes	yes	End of Nov.03	No	yes
Roof-top	Yes	End of Oct.03	No	No				
Close Control	yes	No	No	yes	yes	yes End of Oct.03	No	yes



Available in KSA web site

Standard seftware chiller

No

YES

Yes

Yes

Fnd of

Dec.0

Yes

No

YES

Yes

Yes

End of

Dec.03

Yes

No

NO

No

No

Fnd of

Dec.03

End of

Nov.03

No

Yes

No

Yes

No

No

No

No

Yes

No

End of

Dec.03

Yes

a Cualification Solution								
software	pCOB	pCOxs	pCOc	pCO ¹	pCO ²	PGD	EEV	EEV
							Alco	Carel
							Driver	Driver

No

YES

Yes

Yes

Fnd of

Dec.03

Yes

Yes

Yes

Yes

Yes

No

No

Semihermetic

Semihermetic

Semihermetic

Compressor

Screw

CAREL Driver

Compressors

Semihermetic

& hermetic

Compressor

Compressors

Alco Driver

Target:

Screw

Compressor

Compressor

Alco Driver

No

NO

NO

No

End of

Dec.03

No

